

### Investment Proposal: Greenfield

<b>Localization</b>	Street name	
	District (in the city), locality	in the area of Starorayske village
	Geographical values	48.605366, 37.442880
<b>Terrain qualities</b>	Maximum allowable area (as a one plot) [ha]	3,7000
	Possibilities for development (brief description)	For farming
<b>Information of property</b>	Approximate price of land (UAH/sq. m.)	0,5880
	Owner (s)	Kramatorsk City Council (communal property)
	Availability of current concept design (Yes/No)	No
	Zoning	No
<b>Characteristics of land (plot)</b>	Type of ground on the plot (ha)	pastures
	Difference in ground level (m)	
	Land use in present	Free land
	Impurity of subsoil waters (Yes/No)	No
	Level of subsoil waters (m)	
	Have geological surveys of the plot been conducted (Yes/No)	No
	Risk of flooding or landslides (Yes/No)	No
	Underground obstacles (Yes/No)	No
	Ground and air obstacles (Yes/No)	No
	Ecological restrictions (Yes/No)	No
	Houses or other constructions on the plot (Yes/No)	No
<b>Transport arrangement</b>	Road access to the plot (type and width of available road)	Entrance by existing dirt roads
	Nearest motorway / national road (km)	
	Sea and river ports within a radius of 200 km	No
	Railway road (km)	No
	Railway access road (km)	No
	Nearest regular airport (km)	No
	Nearest seaport (km)	No
<b>Available infrastructure</b>	Electrification (Yes/No)	No
	<ul style="list-style-type: none"> <li>• connection point (distance from the plot boundary) (m)</li> </ul>	
	<ul style="list-style-type: none"> <li>• electrical voltage (kW)</li> </ul>	
	<ul style="list-style-type: none"> <li>• permissible electrical capacity</li> </ul>	
	Gas connection (Yes/No)	No
	<ul style="list-style-type: none"> <li>• connection point (distance from the plot boundary) (m)</li> </ul>	
	<ul style="list-style-type: none"> <li>• calorific value (MJ/Nm<sup>3</sup>)</li> </ul>	
	<ul style="list-style-type: none"> <li>• tube diameter (mm)</li> </ul>	
	Water supply (Yes/No)	No
	<ul style="list-style-type: none"> <li>• connection point (distance from the plot boundary) (m)</li> </ul>	
	<ul style="list-style-type: none"> <li>• permissible output (cu m/24 g)</li> </ul>	
	Sewage disposal works (Yes/No)	No
Telecommunications (Yes/No)	No	
<ul style="list-style-type: none"> <li>• connection point (distance from the plot boundary) (m)</li> </ul>		
	Estimated cost of supply of utilities (indicate the cost of supplying the necessary communications)	

<b>Current state of affairs (availability of necessary permits, results of land use change, etc.)</b>	
<b>Possibilities of state support</b>	
<b>Possibilities of local support</b>	
<b>Other current comments</b>	
<b>The proposal was prepared by</b>	
<b>Contact person</b>	Oleksandr Strichak, Chief Specialist of Land Relations Department, tel. +38 0626 48 55 66, E-mail: vkrsk@krm.gov.ua